



HYDRA S



1. COMPANY & PRODUCT IDENTIFICATION

1.1	PRODUCT NAME:	HS-LITHIUM DENSIFIER
	CAS NUMBER:	12627-14-4
	SUPPLIER:	Hydra-S +1 248-572-6511 info@hydras-products.com
1.2	PRODUCT USE:	Concrete Densifier
1.3	MANUFACTURER'S NAME:	Adeo Distributors
	EMAIL:	info@adeodistributorsl.com
1.4	PREPARATION INFORMATION:	
	DATE OF CURRENT REVISION:	January 8, 2018
	DATE OF LAST REVISION:	January 8, 2015

2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

2.1	RECOMMENDED USE:	Concrete surface treatment, coatings, refractory applications.
2.2	RESTRICTIONS ON USE:	For industrial use only, not for food, drug or home use.

3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

3.1	COMPANY IDENTIFICATION:	Nyacol Nano Technologies, Incorporated Megunko Road, P.O. Box 349, Ashland, MA 01721 U.S.A. 508-881-2220
3.2	EMAIL CONTACT:	info@nyacol.com
3.3	INTERNET:	www.nyacol.com

4. EMERGENCY TELEPHONE NUMBER

4.1	IN CASE OF EMERGENCY:	USA/Canada CHEMTREC: +1 (703) 527-3887 International CHEMTREC: +1 (703) 741-5970 24 Hours/Day: 7 Days/Week
-----	------------------------------	--

5. HAZARD(S) IDENTIFICATION

5.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

5.1.1 GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS)	Eye Irrit. 2, H319 Causes serious eye irritation. STOT SE 3, H335, May cause respiratory irritation (Applies to powders only.)
5.1.2 CLASSIFICATION ACCORDING TO REGULATION (EC) NO. 1272/2008 (CLP)	Eye Irrit. 2, H319 Causes serious eye irritation. STOT SE 3, H335, May cause respiratory irritation (Applies to powders only.)

6. LABEL ELEMENTS

6.1 SIGNAL WORD:	Warning
6.2 HAZARD DETERMINING COMPONENTS OF LABELLING:	Lithium silicate
6.3 HAZARD STATEMENT(S):	H319 Causes serious eye irritation. H335 May cause respiratory irritation.
6.4 PRECAUTIONARY STATEMENT(S): NOT APPLICABLE.	P280 - Wear protective gloves/protective clothing/eye protection/face protection. P264 - Wash thoroughly after handling. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P337+P313 - If eye irritation persists: Get medical advice / attention. P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

7. OTHER HAZARDS

7.1 NOT APPLICABLE

8. UNKNOWN ACUTE TOXICITY (GHS US)

8.1 NO DATA AVAILABLE

9. COMPOSITION / INFORMATION ON INGREDIENTS

9.1 CHEMICAL CHARACTERIZATION: MIXTURES DESCRIPTION: MIXTURE CONSISTING OF THE FOLLOWING COMPONENTS:

COMPONENT NAME:	PRODUCT IDENTIFIER	GHS CLASSIFICATION	PERCENT BY WEIGHT
Lithium Silicate:	CAS: 12627-14-4 EINECS: 235-730-0 Index: Not available.	Eye Irrit. 2, H319 STOT SE 3, H335	20 - 24
Water:	CAS: 7732-18-5 EINECS: 231-791-2 Index: Not available	Not classified	76 - 80

9.2 IMPURITIES: Present at a level below that to be taken into account for classification.

9.3 STABILIZING ADDITIVES: Present at a level below that to be taken into account for classification.

The supplier currently has no knowledge on additional ingredients that are classified and that contribute to the classification of this substance.

See Section 16 for a list of hazards if identified above

10. FIRST-AID MEASURES

- 10.1 EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids apart while flushing to rinse entire surface of the eye and lids with water. Get medical attention.
- 10.2 SKIN CONTACT: Wash skin with plenty of soap and water for several minutes. Get medical attention if skin irritation develops or persists. Remove contaminated clothing.
- 10.3 INHALATION: Remove person from exposure. Seek immediate medical care if respiratory irritation, dizziness, nausea or unconsciousness occurs. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult medical professional.
- 10.4 INGESTION: Seek immediate medical care. Do not induce vomiting. Never give anything by mouth to an unconscious person.
- 10.5 FIRST AID FACILITIES: Eye wash station.
- 10.6 ADVICE TO PHYSICIANS: No further relevant information available.

11. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

11.1 ACUTE OR DELAYED EFFECTS ARE NOT ANTICIPATED

12. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED.

12.1 NO FURTHER RELEVANT INFORMATION AVAILABLE

13. FIRE-FIGHTING MEASURES

13.1 EXTINGUISHING MEDIA

13.1.1 SUITABLE EXTINGUISHING MEDIA:

All are suitable. Use water spray, dry chemical, foam or carbon dioxide to extinguish flames. Use waterspray to cool fire-exposed containers. Water or foam may cause frothing.

14. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

14.1 SPECIAL HAZARD ARISING FROM THE CHEMICAL:

Lithium oxides, silicon oxides and carbon oxides.

14.2 FIRE HAZARD:

No further relevant information available.

14.3 EXPLOSION HAZARD:

Use explosion proof equipment. Keep away from sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge.

14.4 REACTIVITY:

No further relevant information available.

15. ADVICE FOR FIREFIGHTERS

15.1 SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:

Wear standard full firefighter turn-out gear (full bunker gear) and respiratory protection (SCBA).

16. ACCIDENTAL RELEASE MEASURES

16.1	PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	Use personal protective equipment. Avoid breathing vapor, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.
16.1.1	FOR NON-EMERGENCY PERSONNEL	Wear protective equipment. Keep unprotected persons away.
16.2	ENVIRONMENTAL PRECAUTIONS	Prevent further leakage or spillage if safe to do so. Prevent entry into sewers/surface and ground water.
16.3	METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP	Ventilate area. Avoid breathing vapor. Wear appropriate personal protective equipment, including appropriate respiratory protection. Contain spill if possible. Wipe up or absorb on suitable material and shovel up. Prevent entry into sewers and waterways. Avoid contact with skin, eyes or clothing.
16.4	REFERENCE TO OTHER SECTIONS	For more information on exposure controls and personal protection or disposal considerations, check section 8 and 13 of this SDS.

17. HANDLING AND STORAGE

17.1	PRECAUTIONS FOR SAFE HANDLING	Minimum feasible handling and ambient temperatures should be maintained. Avoid contact with skin and eyes. Avoid generating mist during use. Use only in well ventilated area, do not inhale mist or vapors. Do not smoke.
17.1.1	PROTECTIVE MEASURES	Use only in well ventilated areas. As a precautionary measure, the wearing of standard work gear is suggested. Do not smoke.
17.1.2	ADVICE ON GENERAL OCCUPATIONAL HYGIENE	Avoid inhalation, ingestion or contact with skin. General occupational hygiene measures are required to ensure a safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no eating, drinking and smoking at the workplace and wearing standard working clothes and shoes unless otherwise stated. Wash hands after use. Remove contaminated clothing and protective equipment before entering
17.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	Do not freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
17.3	SPECIFIC END USE(S)	No additional information available. Refer to Section 1.2 of this SDS.

18. EXPOSURE CONTROLS /PERSONAL PROTECTION

18.1 CONTROL PARAMETERS

18.1.1 NATIONAL LIMIT VALUES

SILICIC ACID, LITHIUM SALT, CAS 12627-14-4

USA OSHA	OSHA PEL Ceiling (mg/M3)	Not available.
----------	--------------------------	----------------

18.2 EXPOSURE CONTROLS

18.2.1	ENGINEERING CONTROLS:	Exhaust ventilation to keep airborne concentrations below exposure limits.
18.2.2	HYGIENE MEASURES:	Workers should wash exposed skin several times daily with soap and water. Soiled work clothing should be laundered or dry cleaned.
18.2.3	RESPIRATORY:	Airborne concentrations should be kept to lowest levels possible. When respiratory protection is required or concentrations are unknown, use an approved air-purifying respirator with organic vapor cartridge.
18.2.4	HANDS:	Wear impervious gloves such as neoprene.
18.2.5	EYES:	Safety glasses, chemical type goggles, or face shield recommended to prevent eye contact.
18.2.6	SKIN:	Wear clean body-covering clothing; impervious gloves such as neoprene. Workers should wash exposed skin several times daily with soap and water. Soiled work clothing should be laundered or dry-cleaned.
18.2.7	ENVIRONMENTAL EXPOSURE CONTROLS:	Adverse effects of this material on the environment have not been evaluated. Proper disposal techniques to isolate and recover material should be implemented.

19. PHYSICAL AND CHEMICAL PROPERTIES

19.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

19.1.1	APPEARANCE (PHYSICAL STATE, COLOR):	Liquid. Colorless.
19.1.2	UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	Not determined.

19.1.3	VOLATILE BY WEIGHT:	76 - 80%
19.1.4	ODOR:	Odorless
19.1.5	VAPOR PRESSURE:	Not applicable.
19.1.6	ODOR THRESHOLD:	Not applicable.
19.1.7	VAPOR DENSITY:	Not determined.
19.1.8	pH:	10 - 11.5 Alkaline
19.1.9	RELATIVE DENSITY:	1.2 g/cm ³ (20°C); 25° Bé; 10.0 lbs./gal.
19.1.10	MELTING POINT/FREEZING POINT:	Not determined.
19.1.11	SOLUBILITY IN WATER:	Soluble in water
19.1.12	INITIAL BOILING POINT AND BOILING RANGE:	100°C (212°F) water.
19.1.13	FLASHPOINT:	Not applicable.
19.1.14	EVAPORATION RATE:	Not determined.
19.1.15	PARTITION COEFFICIENT:	Not determined.
19.1.16	AUTO-IGNITION TEMPERATURE:	Not determined.
19.1.17	DECOMPOSITION TEMPERATURE:	Not determined.
19.1.18	VISCOSITY:	Less than 15 cP.
19.1.19	SPECIFIC GRAVITY:	1.2
19.1.20	FREEZING POINT:	Not determined.
19.1.21	EXPLOSION LIMITS:	Not determined.
19.1.22	OXIDIZING PROPERTIES:	Not an oxidizer.
19.2	OTHER INFORMATION	No further relevant information available.

20. STABILITY AND REACTIVITY

20.1	REACTIVITY	Can react violently with acids. Reacts with reactive metals (e.g. aluminum, zinc, tin).
20.2	CHEMICAL STABILITY	Stable under normal ambient and anticipated storage and handling conditions.
20.3	POSSIBILITY OF HAZARDOUS REACTIONS	Hazardous polymerization will not occur.
20.4	CONDITIONS TO AVOID	No further relevant information available.
20.5	INCOMPATIBLE MATERIALS	Reactive metals (e.g. aluminum, zinc, tin); acids.
20.6	HAZARDOUS DECOMPOSITION PRODUCTS	No further relevant information available.

21. TOXICOLOGICAL INFORMATION

21.1.1 ACUTE TOXICITY:

21.1.2 LD50, RAT, ORAL VALUES FOR CLASSIFICATION:

21.1.3 SILICIC ACID, LITHIUM SALT, CAS 12627-14-4: 16 g/kg.

21.1.4 SKIN CORROSION/IRRITATION: Avoid contact with skin, may cause skin irritation or dryness.

21.1.5 EYE DAMAGE/IRRITATION: Avoid contact with eyes, may cause irritation.

21.1.6 INHALATION: Mist is irritant to the respiratory tract.

21.1.7 ASPIRATION: No data available.

21.1.8 SENSITIZATION: No data available.

21.1.9 CHRONIC EFFECTS: No data available.

21.1.10 CARCINOGENICITY IARS, ACGIH, NTP and OSHA do not list this product or any components thereof as known or suspected carcinogen.

21.1.11 REPRODUCTIVE TOXICITY: No data available.

22. ECOLOGICAL INFORMATION

22.1 AQUATIC TOXICITY No further relevant information available.

22.2 PERSISTENCE AND DEGRADABILITY No further relevant information available.

22.3 BIOACCUMULATIVE POTENTIAL No further relevant information available.

22.4 MOBILITY IN SOIL No further relevant information available.

22.5 RESULTS OF PBT AND VPVB ASSESSMENT Not classified as PBT or vPvB.

22.6 OTHER ADVERSE EFFECTS No further relevant information available.

23. DISPOSAL CONSIDERATIONS

This information presented only applies to the materials as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Recover if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.

UNITED STATES: The product is not a RCRA hazardous waste.

24. TRANSPORT INFORMATION

THE PRODUCT IS NOT RESTRICTED FOR TRANSPORTATION.

REGULATIONS

24.1	U.S. D.O.T.:	Not regulated.
24.2	ICAO/IATA: N	Not regulated.
24.3	IMO/IMDG:	Not regulated.
24.4	ADR:	Not regulated.
24.5	ENVIRONMENTAL HAZARDS	No further relevant information available.
24.6	SPECIAL PRECAUTIONS FOR USERS:	No further relevant information available.
24.7	TRANSPORT BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE	Not applicable.

25. REGULATORY INFORMATION

25.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR SUBSTANCE OR MIXTURE:

25.1.1	EPA TSCA INVENTORY:	All ingredients listed.
25.1.2	STATE RIGHT-TO-KNOW LAWS:	Section 3 of this SDS lists all components of the product.
25.1.3	SARA SECTION 311/312 (29 CFR 1910.1200) HAZARDS:	Serious eye damage or eye irritation; Specific target organ toxicity, single exposure.
25.1.4	SARA 313, 304 AND CERCLA 102 (A):	No ingredients listed.

25.1.5	CALIFORNIA PROP. 65 COMPONENTS:	No ingredients listed.
25.1.6	WATER HAZARD CLASS:	Water hazard class 1: slightly hazardous for water.
25.2	CHEMICAL SAFETY ASSESSMENT:	A Chemical Safety Assessment has not been carried out.
25.3	INTERNATIONAL REGULATIONS	
25.3.1	CONTROLLED PRODUCTS REGULATIONS:	This SDS contains all the information items specified in Schedule 1, Column 3 of the Controlled Products Regulations in a 16-heading format.
WORLDWIDE CHEMICAL INVENTORIES		
25.3.3	EINECS (EU):	All ingredients listed.
25.3.4	TSCA (USA):	All ingredients listed.
25.3.5	DSL (CANADA):	All ingredients listed.
25.3.6	AICS (AUSTRALIA):	All ingredients listed.
25.3.7	ENCS (JAPAN):	All ingredients listed.
25.3.8	ECL (KOREA):	All ingredients listed.
25.3.9	PICCS (PHILIPPINES):	All ingredients listed.
25.3.10	IECSC (CHINA):	All ingredients listed.

26. OTHER INFORMATION

26.1	FULL TEXT OF H STATEMENTS REFERRED TO UNDER SECTIONS 2 AND 3: H319 - CAUSES SERIOUS EYE IRRITATION. H335 - MAY CAUSE RESPIRATORY IRRITATION.	
26.2	NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.) 704 HAZARD RATING:	Health-1, Flammability-0, Reactivity-0, Special-None
26.3	HMIS® HAZARD RATING:	Health-1, Flammability-0, Reactivity-0, Protective Equipment - B; safety glasses, gloves.
26.3	RECOMMENDED USE:	The product is recommended for use in coatings for concrete. Other uses have not been investigated and may have other hazards. For industrial use only, not for food, drug or home use.
26.3	WORK ALERT:	Workers using the product should read and understand this SDS and be trained in the proper use of this material.
26.3	OTHER SPECIAL CONSIDERATIONS:	None known.
26.3	SDS PREPARED BY:	Andrew A. Guzelian Nyacol Nano Technologies, Incorporated Telephone: 508-881-2220 U.S.A.
26.3	REVISION DATE:	December 10, 2018
26.3	SUPERSEDES:	June 12, 2020



This SDS has been prepared with data from Nyacol Nano Technologies, Inc.'s laboratories, raw material suppliers, and government publications. Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, the user should determine the suitability of the products for the intended use, and the user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without license.

NYACOL® IS A REGISTERED TRADEMARK OF NYACOL NANO TECHNOLOGIES, INC.