



HYDRA S



1. COMPANY & PRODUCT IDENTIFICATION

1.1	PRODUCT NAME:	HS-ULTRA SEAL
	CAS NUMBER:	MIXTURE
	SUPPLIER:	Hydra-S +1 248-572-6511 info@hydras-products.com
1.2	PRODUCT USE:	Concrete Sealer
1.3	MANUFACTURER'S NAME:	Adeo Distributors
	EMAIL:	info@adeodistributorsl.com
1.4	PREPARATION INFORMATION:	
	DATE OF CURRENT REVISION:	January 8, 2018
	DATE OF LAST REVISION:	January 8, 2015

2. COMPOSITION FORMULA - COMPONENT INFORMATION

Intentional Ingredients:	WT%	CAS#	TLV (UNITS)	PEL
Water	40-80%	7732-18-5	ND	ND
Glycol Ether	<10%	111-76-2	ND	ND
Polymer Dispersion	15-25%	Proprietary	ND	ND
Isopropyl Alcohol	<10	67-63-0	ND	ND

3. HAZARDS IDENTIFICATION

3.1	PERMISSIBLE EXPOSURE LEVEL:	Undetermined
	EYES:	Possible eye irritation may occur.
	SKIN:	Prolonged contact may cause irritation.
	INHALATION:	Mist may be mildly irritating.
	INGESTION:	May cause nausea.

THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA

4. FIRST AID MEASURES

EYE CONTACT:	Flush with water lifting eyelids. Get medical attention if irritation persists.
SKIN CONTACT:	Wash with water.
INHALATION:	Remove victim to fresh air.
INGESTION:	Do not induce vomiting. Call physician.



0 2

5. FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT:	>350 F
FLAMMABLE LIMITS:	N/A
FIRE/EXPLOSION HAZARDS:	No unusual hazards.
EXTINGUISHING MEDIA:	Foam, CO2, dry chemical
FIRE FIGHTING PROCEDURES:	Fire fighters should wear self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode and full protective clothing. Use water spray to cool nearby containers and structures.

HMIS	Health	Flammability	Reactivity	Other
	1	0	1	-

RANKING: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

6. ACCIDENTAL RELEASE PROCEDURES

SMALL SPILLS:	Mop with water and flush to drain with plenty of water.
LARGE SPILLS:	Contain with dike, absorb or vacuum to storage container. Dispose in accordance with all regulations.

7. HANDLING AND STORAGE

STORAGE:	Keep cool and dry
HANDLING:	Avoid heat and freezing temperatures.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

EYE AND FACIAL:	None required under normal conditions.
SKIN:	None required under normal conditions.
RESPIRATORY:	None required under normal conditions.
VENTILATION:	Local mechanical ventilation adequate.
OTHER:	None required under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 212°F
PERCENT VOLATILE: 80-85
EVAPORATION RATE (N-BUAC=1): NOT AVAILABLE
APPEARANCE & ODOR: CLEAR LIQUID WITH CHARACTERISTIC ODOR.
SOLUBILITY: NOT APPLICABLE
VAPOR DENSITY: NOT APPLICABLE
PH: 7-8 VOC %: <10%, <100 GMS/L
VAPOR PRESSURE: NOT APPLICABLE
VAPOR DENSITY: NOT APPLICABLE
SPECIFIC GRAVITY: 1.01

10. STABILITY AND REACTIVITY

10.1	STABILITY:	Stable
10.2	REACTIVITY:	N/A
10.3	HAZARDOUS DECOMPOSITION INGREDIENTS:	CO ₂ , CO, and phosphorous compounds.
10.4	HAZARDOUS POLYMERIZATION:	Will not occur

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

No toxicological information has been generated for this material

12. ECOLOGICAL INFORMATION

This product has never been found to present any environmental or ecological problems. Use according to the instructions. Dispose of in a sanitary manner.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local regulations. Usually may be flushed down drain with large amounts of water.

14. TRANSPORT INFORMATION

DOT HAZARD CLASS:	None
DOT SHIPPING NAME:	Cleaning compound, NOI.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:	TSCA-Intentional ingredients are listed; CERCLA RQ-N/A; SARA 302 Components-N/A; Section 311/312-N/A; Section 313 Components-N/A
---------------------------	--

16. OTHER INFORMATION

Refer to product label for directions and any other cautions.

LEGEND: ND = Not Determined; N/A = Not Applicable; NA = Not Available

NOTICE: All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.